



	P130			P130 ALPINE		
ENGINE	<b>B&amp;S</b> <b>3125 PB</b> 344 cc 6.9 kW Petrol	B&S 3130 Intek 344 cc 7.8 kW Petrol	Honda GXV390 389 cc 7.6 kW Petrol	Honda GXV390 389 cc 7.6 kW Petrol	B&S 4195 Intek 500 cc 11.7 kW Petrol	B&S Vanguard V-Twin 479 cc 11.9 kW / 16 HP Petrol
STARTER	recoil	recoil and electric	recoil/ recoil and electric	recoil and electric	recoil and electric	electric
HANDLEBAR	vertically and laterally adjustable + storage position			vertically and laterally adjustable + storage position		
TRANSMISSION	2 independent hydrostatic transaxels ZT-2200 (EZT) max slope: 25° max torque: from 0 to 291 Nm			2 independent hydrostatic transaxels ZT-2800 advanced max slope: 45° max torque: from 0 to 406 Nm		
РТО	multi-plate clutch vertical PTO with coupling			multi-plate clutch vertical PTO with coupling		
SLOPE ENGINE	_			electronic board and actuator for tilting of the engine		
STEERING SYSTEM	PAS (powered assisted steering)			PAS (powered assisted steering)		
DRIVE WHEELS	tyres, tractor profile (18x9.5-8")			tyres, tractor profile (18x9.5-8")		
NET WEIGHT	162 kg	167 kg	169kg / 174kg	178 kg	175 kg	184 kg
DIMENSIONS	97x169x128(h)			97x169x128(h)		

**GR. WEIGHT** 194-216 KG

PACKAGING 144X97X95(H) CM

**PALLET** 147X100X190(H) CM / Q\* 2PCS





#### FOLDING HANDLEBAR

for placing into storage position via control console





#### CONTROL CONSOLE

speed management, tool connection, work mode, adjustment management



ADJUSTABLE HANDLEBAR laterally (3 positions) and vertically (7+1 positions)





### SLOPE ENGINE

with electronic board and actuator, maximum side slope 40-45°





#### TOOL COUPLING

vertical coupling with instant handlebar connection system





#### PAS STEERING SYSTEM

servo-assisted zero turn



**AS STANDARD** 



ALPINE MODEL ONLY



**PATENTED** 

#### WHEELS & EXTENSIONS



**IRON WHEELS** Track EZT 96 cm Track ZT 99 cm



GROSS WEIGHT 37 KG PACKAGING 52X52X55(H) CM

PACKAGING 52X52X55(H) CM



**SMALL TYRES** Track EZT 81.6 cm Track ZT 84.6 cm



GROSS WEIGHT 20 KG PACKAGING 52X52X55(H) CM



IRON EXTENSION FOR **TYRES** Track ZT 137.5 cm \*Alpine GROSS WEIGHT 38 KG



**SNOW CHAINS** For standard pneumatic wheels 18x9.5-8"



GROSS WEIGHT 3 KG PACKAGING 52X52X55(H) CM



IRON EXTENSION FOR IRON WHEELS Track ZT 149 cm \*Alpine GROSS WEIGHT 31.5 KG **PACKAGING** 52X52X55(H) CM



**CLAWED WHEELS** Track ZT 151 cm \*Alpine



GROSS WEIGHT 20 KG PACKAGING 52X52X55(H) CM



#### **DOUBLE ROTARY SCYTHE**

cutting discs (x2) with 4 inclined, **OPERATION** pivoting and retractable blades 

115 cm **WORK WIDTH** 

fixed cutting height **ADJUSTMENTS** 

at 5 cm

two pivoting and tilting TRANSPORT WHEELS

front wheels

protective sheet, doubletoothed drive belt, automatic

braking system, idle rotating counter discs, reinforced steel

discs

127 kg

**OTHER** 







**DOUBLE ROTARY DISC** 



# P130

multi tool

#### **FLAIL MOWER**

ø 30 cm horizontal axis rotor with **OPERATION** 

32 floating knives

**WORK WIDTH** 

cutting height **ADJUSTMENTS** 

2<->10 cm with wheels 2<->7 cm with skids

pivoting on **TRANSPORT WHEELS** 

tilting axle

100 kg

**DIMENSION** 94x100x70(h) cm







**OTHER** 

G.WEIGHT 115 KG - PACKAGING 109X97X54(H) CM - PALLET 109X97X162(H) CM / Q\* 3PCS

## **GRASSLAND MOWER**

double rotor with vertical axis **OPERATION** 

with 8 pivoting blades (4 each)

**WORK WIDTH** 

cutting height **ADJUSTMENTS** 5-7-9cm

with fixed positions

**TRANSPORT WHEELS** single, quick release

- mulching cutting cap - 2 ballasts 4 kg each.

**NET WEIGHT** 

DIMENSION 97x117x61(h) cm





G.WEIGHT 81 KG - PACKAGING 109X97X54(H) CM - PALLET 110X98X162(H) CM / Q\* 3PCS

**FOLDABLE TRANSPORT** WHEEL

#### **WEED BRUSH**

**OPERATION** Ø 60 cm **WORK WIDTH** 

- work height - lateral ±90° **ADJUSTMENTS** 

- plate inclination 0°-2.5°-5°-7°

quick-connect brush plate

single pivoting TRANSPORT WHEELS

5 sets of interchangeable brushes

**NET WEIGHT** 71 kg

DIMENSION 93x104x62(h) cm



**ADJUSTMENT SYSTEMS** 



G.WEIGHT 85 KG - PACKAGING 109X97X54(H) CM - PALLET 110X98X162(H) CM / Q\* 3PCS



**BRISTLE SET IRON FLAT** plate + flat bristles to be assembled on flange (not included)



**BRISTLE SET IN THICK IRON** 8 bundles to be assembled on plate and flange (not included)



**BRISTLE SET PLASTIC** plate + plastic bristles to be assembled on flange (not included)



**BRISTLE SET IN MIXED IRON** 4+4 bundles to be assembled on plate and flange (not included)



**BRISTLE SET IN IRON FINE** 8 bundles to be assembled on plate and flange (not included)

# P130

multi tool

### **CUTTING BAR**

double-blade cutting system ESM, **OPERATION** 

wide bar portal movement

**WORK WIDTH** 

cutting height **ADJUSTMENTS** via skids

3<->6 cm

two swivel wheels with **TRANSPORT WHEELS** 


quick coupler

professional BIDOUX blade

change system

153x120x53(h) cm

G.WEIGHT 122 KG - PACKAGING 158X130X43(H) CM - PALLET 158X130X86(H) CM / Q\* 2PCS



## **HAY RAKE**

8 combs on belt **OPERATION** 

2 pairs of tines

**WORK WIDTH** 

work height **ADJUSTMENTS** via front wheels

TRANSPORT WHEELS rubber, pivoting

hay holder strip for adjustable rake

**NET WEIGHT** 

**DIMENSION** 156x126x102(h) cm

G.WEIGHT 125 KG - PACKAGING 157X80X102H) CM - PALLET 152X81X230(H) CM / Q\*2PCS



### **SNOW BLADE**

**OPERATION** front blade with rubber strip

**WORK WIDTH** 120 cm

- adjustable work height by

**ADJUSTMENTS** means of skids

- lateral ±30°

TRANSPORT WHEELS

shock-proof rubber protection

119x161x134(h) cm





G.WEIGHT 55 KG - PACKAGING 120X58X48(H) CM - PALLET 110X120X205(H) CM / Q\* 8PCS

## **SNOW THROWER**

double stage with rotor Ø 40 cm **OPERATION** 

icebreaker rotavators

**WORK WIDTH** 90 cm

- work height 0 - 6 cm **ADJUSTMENTS** - snow deflector 90° cm

- adjustable ejection flue

TRANSPORT WHEELS side slides

- control extension rod

- flue cleaner pipe

**NET WEIGHT** 130 kg

DIMENSION 91.5x161x143(h) cm

G.WEIGHT 162 KG - PACKAGING 109X97X54(H) CM - PALLET 110X98X162(H) CM / Q\* 3PCS

